

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	22	(datatype near3 metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/03 19:27
S2	19	(datatype same (subscribe or subscription))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/03 19:28
S3	149	(715/541).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 15:45
S4	2	("6189045").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/22 19:19



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)

[Scholar Preferences](#)

[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#)

Results 1 - 10 of about 18,700 for **datatype conversion** (0.31 seconds)

All Results

Did you mean: **data type** conversion

[R Ballagas](#)

Patch panel: enabling control-flow interoperability in ubicomp environments - group of 10 »

[M Oh](#)

R Ballagas, A Szybalski, A Fox - Pervasive Computing and Communications, 2004. PerCom 2004., 2004 - ieeexplore.ieee.org

[J Frew](#)

... flow interoper- ation refers to resolving mismatches in **data type**, a prob ... such support by exploiting mobile code "prox- ies" to perform **datatype conversion**. ...

[H Cejtin](#)

Cited by 17 - Related Articles - Web Search

[P Chan](#)

Enhanced single frame buffer display system - group of 2 »

J Bodenkamp, M Atkins - US Patent 5,243,447, 1993 - Google Patents

... play controller means comprising: **datatype conversion** means havingat ... datafurtherprovid- ing **data type** identification for ... first color space **conversion** means if ...

Cited by 44 - Related Articles - Web Search

Data type conversion for enhancement of network communication systems - group of 3 »

CA O'Shea, KN Fortenberry, RM Szabo, SI Robertson, ... - US Patent 6,189,045, 2001 - Google Patents

Page 1. United States Patent O'Shea et al. (54) DATA TYPE CONVERSION FOR ENHANCEMENT OF NETWORK COMMUNICATION SYSTEMS (75) Inventors ...

Cited by 6 - Related Articles - Web Search

Multiple Architecture Modeling Design Method for Mixed Signal and Multi Domain System Simulation- ... - group of 4 »

M Schlegel, G Herrmann, D Müller - 2001 - tu-chemnitz.de

... register transfer level. A **conversion** between these types is still possible simply by a **datatype conversion** function. So two approaches ...

Cited by 5 - Related Articles - View as HTML - Web Search

A logical-level approach to data base **conversion - group of 2 »**

A Shoshani - Proceedings of the 1975 ACM SIGMOD international conference ..., 1975 - portal.acm.org

... This process includes logical restructuring of records, duplication and/or elimination of data values, and **data type conversion**. ...

Cited by 14 - Related Articles - Web Search

The Alexandria Rapid Prototype: building a digital library for spatial information

J Frew, L Carver, C Fischer, M Goodchild, M ... - 1995 ESRI International User Conference,(Palm Springs, CA, ... - gis.esri.com

... a single row for each **data type** retrieved ... in digital form requires a **conversion** of source ... **Datatype conversion** and units of measurement **conversion** is typically ...

Cited by 17 - Related Articles - Cached - Web Search

System and method for providing a single application program interface for heterogeneous databases - group of 2 »

US Patent 6,009,428, 1999 - freepatentsonline.com

... It is another object of this invention to provide an improved DBMS wherein a **datatype conversion** can be accomplished which enables specific local functions to ...

Cited by 14 - Related Articles - Cached - Web Search.

[Agent-based modelling environment for spatial decision support - group of 2 »](#)
RR Sengupta, DA Bennett - International Journal of Geographical Information Science, 2003 - Taylor & Francis
... ESRItoV-KS Converts an ESRI Raster A **datatype conversion** must be dataset into an ESRI Vector requested and data to be dataset converted must be located on ...
[Cited by 14 - Related Articles - Web Search - BL Direct](#)

[Flow-directed closure conversion for typed languages - group of 8 »](#)
H Cejtin, S Jagannathan, S Weeks - ESOP'00 [ESOP00] - Springer
... closure **conversion** translation using the source language shown on the left-hand side of Figure 1. A program consists of a collection of **datatype** declarations ...
[Cited by 27 - Related Articles - Web Search - BL Direct](#)

[Method and apparatus for portable checkpointing using data structure metrics and conversion ... - group of 3 »](#)
B Ramkumar, V Strmupen - US Patent 6,154,877, 2000 - Google Patents
... apparatus for portable checkpointing comprising the steps of: pre-compiling an input application source code and basic **data type conversion** functions; and ...
[Cited by 14 - Related Articles - Web Search](#)

Did you mean to search for: [**datatype conversion**](#)

Google ►
Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google

Google Scholar BETA [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar All articles Recent articles Results 1 - 10 of about 891,000 for **data type conversion** (0.20 seconds)

[All Results](#)

[B Liskov](#)
[W Press](#)
[A Peleg](#)
[G Morrisett](#)
[L Cardelli](#)

Programming with abstract data types - group of 5 »
 B Liskov, S Zilles - Proceedings of the ACM SIGPLAN symposium on Very high level ..., 1974 - portal.acm.org
 ... He is not (usually) concerned with how the **data** objects are represented, and ... a thing as an error (strong typing), or by some sort of automatic **type conversion**. ...
 Cited by 290 - Related Articles - Web Search

On understanding types, data abstraction, and polymorphism - group of 50 »
 L Cardelli, P Wegner - ACM Computing Surveys (CSUR), 1985 - portal.acm.org
 ... On Understanding **Types, Data Abstraction, and Polymorphism** ... system, inserted in the program, and used by the compiler to generate required **type conversion** code. ...
 Cited by 1241 - Related Articles - Web Search - Library Search

Your mediators need data conversion! - group of 7 »
 S Cluet, C Delobel, J Siméon, K Smaga - ... ACM SIGMOD international conference on Management of data, 1998 - portal.acm.org
 ... to manage heterogeneous **data**. This property of the YAT model can be used for various purposes: to help the programmer write **conversion** programs or **type** them ...
 Cited by 358 - Related Articles - Web Search - BL Direct

A Value Transmission Method for Abstract Data Types - group of 5 »
 M HERLIHY, B LISKOV - ACM Transactions on Programming Languages and Systems, 1982 - portal.acm.org
 ... 2 Cvt indicates a **conversion** between abstract and internal ... **type**; when it appears as a result **type**, the mapping ... **data type table[key, item : type]** is create, isin ...
 Cited by 118 - Related Articles - Web Search

Miranda: A non-strict functional language with polymorphic types - group of 2 »
 DA Turner - Proc. of a conference on Functional programming languages ..., 1985 - cs.kent.ac.uk
 ... The security of the abstract **data type** here depends, not on the hiding of declared identifiers, but on the fact that explicit acts of **conversion** between the ...
 Cited by 406 - Related Articles - View as HTML - Web Search

The algebraic specification of abstract data types
 JV Guttag, JJ Horning - Acta Informatica, 1978 - Springer
 ... To adopt this approach, however, is to ignore the primary reason for viewing a **data type** as an algebra, ie, to provide a representation-free specification of ...
 Cited by 202 - Related Articles - Web Search

Intel MMX for Multimedia PCs - group of 7 »
 A Peleg, S Wilkie, U Weiser - COMMUNICATIONS OF THE ACM, 1997 - portal.acm.org
 ... shift. MMX technology also added **data-type conversion** instructions to address the need to **convert** between the new **data types**. As ...
 Cited by 125 - Related Articles - Web Search - BL Direct

Data type conversion for enhancement of network communication systems - group of 3 »
 CA O'Shea, KN Fortenberry, RM Szabo, SI Robertson, ... - US Patent 6,189,045, 2001 - Google Patents
 Page 1. United States Patent O'Shea et al. (54) DATA TYPE CONVERSION FOR ENHANCEMENT OF NETWORK COMMUNICATION SYSTEMS (75) Inventors ...
 Cited by 6 - Related Articles - Web Search

Google Scholar BETA

Web Images Video News Maps more »

data type conversion

Search Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar All articles Recent articles

Results 1 - 10 of about 891,000 for data type conversion. (0.20 seconds)

All Results

B Liskov
W Press
A Peleg
G Morrisett
L Cardelli

Programming with abstract data types - group of 5 »

B Liskov, S Zilles - Proceedings of the ACM SIGPLAN symposium on Very high level ..., 1974 - portal.acm.org
... He is not (usually) concerned with how the **data** objects are represented, and ... a thing as an error (strong typing), or by some sort of automatic **type conversion**. ...

Cited by 290 - Related Articles - Web Search

On understanding types, data abstraction, and polymorphism - group of 50 »

L Cardelli, P Wegner - ACM Computing Surveys (CSUR), 1985 - portal.acm.org
... On Understanding **Types**, Data Abstraction, and Polymorphism ... system, inserted in the program, and used by the compiler to generate required **type conversion** code. ...

Cited by 1241 - Related Articles - Web Search - Library Search

Your mediators need data conversion! - group of 7 »

S Cluet, C Delobel, J Siméon, K Smaga - ... ACM SIGMOD international conference on Management of data, 1998 - portal.acm.org
... to manage heterogeneous **data**. This property of the YAT model can be used for various purposes: to help the programmer write **conversion** programs or **type** them ...

Cited by 358 - Related Articles - Web Search - BL Direct

A Value Transmission Method for Abstract Data Types - group of 5 »

M HERLIHY, B LISKOV - ACM Transactions on Programming Languages and Systems, 1982 - portal.acm.org
... 2 Cvt indicates a **conversion** between abstract and internal ... **type**; when it appears as a result **type**, the mapping ... **data type table[key, item : type]** is create, isn ...

Cited by 118 - Related Articles - Web Search

Miranda: A non-strict functional language with polymorphic types - group of 2 »

DA Turner - Proc. of a conference on Functional programming languages ..., 1985 - cs.kent.ac.uk
... The security of the abstract **data type** here depends, not on the hiding of declared identifiers, but on the fact that explicit acts of **conversion** between the ...

Cited by 406 - Related Articles - View as HTML - Web Search

The algebraic specification of abstract data types

JV Guttag, JJ Horning - Acta Informatica, 1978 - Springer
... To adopt this approach, however, is to ignore the primary reason for viewing a **data type** as an algebra, ie, to provide a representation-free specification of ...

Cited by 202 - Related Articles - Web Search

Intel MMX for Multimedia PCs - group of 7 »

A Peleg, S Wilkie, U Weiser - COMMUNICATIONS OF THE ACM, 1997 - portal.acm.org
... shift. MMX technology also added **data-type conversion** instructions to address the need to **convert** between the new **data types**. As ...

Cited by 125 - Related Articles - Web Search - BL Direct

Data type conversion for enhancement of network communication systems - group of 3 »

CA O'Shea, KN Fortenberry, RM Szabo, SI Robertson, ... - US Patent 6,189,045, 2001 - Google Patents
Page 1. United States Patent O'Shea et al. (54) DATA TYPE CONVERSION FOR ENHANCEMENT OF NETWORK COMMUNICATION SYSTEMS (75) Inventors ...

Cited by 6 - Related Articles - Web Search